

The background of the page is white, featuring several thin, red, curved lines that sweep across the corners, creating a sense of motion and design.

# **PENTAX**

## **STOCK SV**

PRODUCT CATALOGUE  
**MARCH 2022**



## INTRODUCTION

---

Welcome to the PENTAX Stock range, within this catalogue you will find all of the details of the extensive stock range available.

The catalogue is interactive and you can navigate through it by clicking the menu options and home icon.

## COATING OVERVIEW

---

### **HARD COATING**

Providing greater scratch resistance to protect the lenses.

### **Aqua Guard (HMC)**

Anti reflection coating with hard coating and water repellent treatment.

### **Innocare (HMC+)**

Anti reflection coating with increased scratch resistance water and grease repellent.

### **Innocare Blue (HMC+Blue)**

Anti-reflection coating with the benefit that blue light is also neutralised.

## SENSITY OPTIONS

---

Our photochromic options utilise the Sensity material, with stabilight technology for consistent colour change in a range of temperatures and also natural colour tones.

## POLARISED OPTIONS

---

The polarised lenses provide enhanced performance as they reduce not only brightness but also glare from the sun reflected from surfaces, our polarised options also benefit from a back surface HMC coating to reduce the reflections from the back surface.

## DELIVERY

---

**Uncut orders placed Monday to Friday before 4pm will be delivered next day.**

**Uncut orders placed Saturday/Sunday will be delivered Tuesday.**

**Please add one day when ordering remote edged lenses.**




# CONTENTS

|                   | CLEAR                            |                     |                     |                                 |                                 | SENSITY                        |                                       | PRETINTED                              | POLARISED                                       |
|-------------------|----------------------------------|---------------------|---------------------|---------------------------------|---------------------------------|--------------------------------|---------------------------------------|----------------------------------------|-------------------------------------------------|
| SPHERICAL<br>1.50 | UNCOATED                         | HARD<br>COATED      | AQUA GUARD<br>(HMC) | INNOCARE<br>(HMC+)              | INNOCARE<br>BLUE (HMC+<br>BLUE) | SENSITY<br>HC                  | SENSITY<br>AQUA GUARD<br>(HMC)        | PRETINTED<br>AQUA<br>GUARD CC          | COMING<br>SOON<br>POLARISED<br>AQUA GUARD<br>CC |
| ASPHERIC<br>1.50  | COMING<br>SOON<br>HARD<br>COATED |                     |                     |                                 |                                 |                                |                                       |                                        |                                                 |
| SPHERICAL<br>1.60 | HARD<br>COATED                   | AQUA GUARD<br>(HMC) | INNOCARE<br>(HMC+)  | INNOCARE<br>BLUE (HMC+<br>BLUE) |                                 | SENSITY<br>AQUA GUARD<br>(HMC) | SENSITY<br>INNOCARE<br>(HMC+)         | PRETINTED<br>AQUA GUARD<br>CC (HMC CC) |                                                 |
| ASPHERIC<br>1.60  |                                  | AQUA GUARD<br>(HMC) |                     |                                 |                                 |                                |                                       |                                        |                                                 |
| ASPHERIC<br>1.67  |                                  | AQUA GUARD<br>(HMC) | INNOCARE<br>(HMC+)  |                                 |                                 |                                | COMING<br>SOON<br>AQUA GUARD<br>(HMC) |                                        |                                                 |
| ASPHERIC<br>1.74  |                                  |                     | INNOCARE<br>(HMC+)  |                                 |                                 |                                |                                       |                                        |                                                 |




# SPHERICAL 1.50 UNCOATED


55 DIAMETER



65 DIAMETER



70 DIAMETER





# SPHERICAL 1.50 HARD COATED

55 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 | 2.25 | 2.50 | 2.75 | 3.00 | 3.25 | 3.50 | 3.75 | 4.00 |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 | 2.25 | 2.50 | 2.75 | 3.00 | 3.25 | 3.50 | 3.75 | 4.00 |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 4.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



## SPHERICAL 1.50 AQUA GUARD (HMC)

55 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 | 2.25 | 2.50 | 2.75 | 3.00 | 3.25 | 3.50 | 3.75 | 4.00 |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 | 2.25 | 2.50 | 2.75 | 3.00 | 3.25 | 3.50 | 3.75 | 4.00 |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 4.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



# SPHERICAL 1.50 INNOCARE (HMC+)

55 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 | 2.25 | 2.50 | 2.75 | 3.00 | 3.25 | 3.50 | 3.75 | 4.00 |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 | 2.25 | 2.50 | 2.75 | 3.00 | 3.25 | 3.50 | 3.75 | 4.00 |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 4.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |



# SPHERICAL 1.50 INNOCARE BLUE (HMC+ BLUE)

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |





## ASPHERIC 1.50 HARD COATED

---



**COMING SOON**

MORE DETAILS TO FOLLOW





# SPHERICAL SENSITY 1 1.50 HARD COATED

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |

COLOURS AVAILABLE



BROWN



GREY

SENSITY

Please use the Stock Check facility within  
HOYA iLOG for stock availability



# SPHERICAL SENSITY 1 1.50 AQUA GUARD (HMC)

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |

COLOURS AVAILABLE



BROWN



GREY


SENSITY

Please use the Stock Check facility within  
HOYA iLOG for stock availability




# SPHERICAL 1.60 HARD COATED


65 DIAMETER



70 DIAMETER




75 DIAMETER






# SPHERICAL 1.60 AQUA GUARD (HMC)


65 DIAMETER



70 DIAMETER




75 DIAMETER






# SPHERICAL 1.60 INNOCARE (HMC+)


65 DIAMETER



70 DIAMETER



75 DIAMETER





# SPHERICAL 1.60 INNOCARE BLUE (HMC+ BLUE)

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |

75 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |
| -6.25 |      |      |      |      |      |      |      |      |      |
| -6.50 |      |      |      |      |      |      |      |      |      |
| -6.75 |      |      |      |      |      |      |      |      |      |
| -7.00 |      |      |      |      |      |      |      |      |      |
| -7.25 |      |      |      |      |      |      |      |      |      |
| -7.50 |      |      |      |      |      |      |      |      |      |
| -7.75 |      |      |      |      |      |      |      |      |      |
| -8.00 |      |      |      |      |      |      |      |      |      |



# ASPHERIC 1.60 AQUA GUARD (HMC)

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl  | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 | 2.25 | 2.50 | 2.75 | 3.00 | 3.25 | 3.50 | 3.75 | 4.00 |
|--------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 2.00   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.75   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.50   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.25   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 1.00   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.75   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.50   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.25   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.00   |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -9.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -9.25  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -9.50  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -9.75  |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -10.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -10.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -10.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -10.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -11.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -11.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -11.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -11.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -12.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |

75 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 | 2.25 | 2.50 | 2.75 | 3.00 |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0.00  |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -6.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -7.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.25 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.50 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -8.75 |      |      |      |      |      |      |      |      |      |      |      |      |      |
| -9.00 |      |      |      |      |      |      |      |      |      |      |      |      |      |





# SPHERICAL SENSITY 1 1.60 AQUA GUARD (HMC)

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |

COLOURS AVAILABLE



BROWN



GREY

SENSITY

Please use the Stock Check facility within  
HOYA iLOG for stock availability



# SPHERICAL SENSITY 1 1.60 INNOCARE (HMC+)

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |

## COLOURS AVAILABLE



BROWN



GREY


SENSITY

Please use the Stock Check facility within  
HOYA iLOG for stock availability




## ASPHERIC 1.67 AQUA GUARD (HMC)


## 65 DIAMETER



## 70 DIAMETER




## 75 DIAMETER






# ASPHERIC 1.67 INNOCARE (HMC+)


65 DIAMETER



70 DIAMETER



75 DIAMETER





## ASPHERIC SENSITY 1.67 INNOCARE (HMC+)

**SENSITY****COLOURS AVAILABLE**

BROWN



GREY

**COMING SOON**  
MORE DETAILS TO FOLLOW





# ASPHERIC 1.74 INNOCARE (HMC+)

65 DIAMETER

| + cyl  | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|--------|------|------|------|------|------|------|------|------|------|
| -10.50 |      |      |      |      |      |      |      |      |      |
| -10.75 |      |      |      |      |      |      |      |      |      |
| -11.00 |      |      |      |      |      |      |      |      |      |
| -11.25 |      |      |      |      |      |      |      |      |      |
| -11.50 |      |      |      |      |      |      |      |      |      |
| -11.75 |      |      |      |      |      |      |      |      |      |
| -12.00 |      |      |      |      |      |      |      |      |      |
| -12.25 |      |      |      |      |      |      |      |      |      |
| -12.50 |      |      |      |      |      |      |      |      |      |
| -12.75 |      |      |      |      |      |      |      |      |      |
| -13.00 |      |      |      |      |      |      |      |      |      |
| -13.25 |      |      |      |      |      |      |      |      |      |
| -13.50 |      |      |      |      |      |      |      |      |      |
| -13.75 |      |      |      |      |      |      |      |      |      |
| -14.00 |      |      |      |      |      |      |      |      |      |
| -14.25 |      |      |      |      |      |      |      |      |      |
| -14.50 |      |      |      |      |      |      |      |      |      |
| -14.75 |      |      |      |      |      |      |      |      |      |
| -15.00 |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl  | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|--------|------|------|------|------|------|------|------|------|------|
| -6.25  |      |      |      |      |      |      |      |      |      |
| -6.50  |      |      |      |      |      |      |      |      |      |
| -6.75  |      |      |      |      |      |      |      |      |      |
| -7.00  |      |      |      |      |      |      |      |      |      |
| -7.25  |      |      |      |      |      |      |      |      |      |
| -7.50  |      |      |      |      |      |      |      |      |      |
| -7.75  |      |      |      |      |      |      |      |      |      |
| -8.00  |      |      |      |      |      |      |      |      |      |
| -8.25  |      |      |      |      |      |      |      |      |      |
| -8.50  |      |      |      |      |      |      |      |      |      |
| -8.75  |      |      |      |      |      |      |      |      |      |
| -9.00  |      |      |      |      |      |      |      |      |      |
| -9.25  |      |      |      |      |      |      |      |      |      |
| -9.50  |      |      |      |      |      |      |      |      |      |
| -9.75  |      |      |      |      |      |      |      |      |      |
| -10.00 |      |      |      |      |      |      |      |      |      |
| -10.25 |      |      |      |      |      |      |      |      |      |
| -10.50 |      |      |      |      |      |      |      |      |      |
| -10.75 |      |      |      |      |      |      |      |      |      |
| -11.00 |      |      |      |      |      |      |      |      |      |
| -11.25 |      |      |      |      |      |      |      |      |      |
| -11.50 |      |      |      |      |      |      |      |      |      |
| -11.75 |      |      |      |      |      |      |      |      |      |
| -12.00 |      |      |      |      |      |      |      |      |      |

75 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| -2.00 |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |
| -6.25 |      |      |      |      |      |      |      |      |      |
| -6.50 |      |      |      |      |      |      |      |      |      |
| -6.75 |      |      |      |      |      |      |      |      |      |
| -7.00 |      |      |      |      |      |      |      |      |      |
| -7.25 |      |      |      |      |      |      |      |      |      |
| -7.50 |      |      |      |      |      |      |      |      |      |
| -7.75 |      |      |      |      |      |      |      |      |      |
| -8.00 |      |      |      |      |      |      |      |      |      |



## SPHERICAL POLARISED 1.50 AQUA GUARD CC (HMC CC)

---

**COMING SOON**

MORE DETAILS TO FOLLOW

COLOURS AVAILABLE



BROWN



GREY



GREEN



## SPHERICAL PRETINTED 1.50 Aqua Guard CC (HMC cc)

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |
| -6.25 |      |      |      |      |      |      |      |      |      |
| -6.50 |      |      |      |      |      |      |      |      |      |
| -6.75 |      |      |      |      |      |      |      |      |      |
| -7.00 |      |      |      |      |      |      |      |      |      |
| -7.25 |      |      |      |      |      |      |      |      |      |
| -7.50 |      |      |      |      |      |      |      |      |      |
| -7.75 |      |      |      |      |      |      |      |      |      |
| -8.00 |      |      |      |      |      |      |      |      |      |

75 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |

### COLOURS AVAILABLE



BROWN



GREY



GREEN

### CATEGORY 3 SUN LENS

(NOT SUITABLE  
FOR NIGHT TIME DRIVING)

UVA PROTECTION

Please use the Stock Check facility within  
HOYA iLOG for stock availability





# SPHERICAL PRETINTED 1.60 Aqua Guard CC (HMC cc)

65 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 6.00  |      |      |      |      |      |      |      |      |      |
| 5.75  |      |      |      |      |      |      |      |      |      |
| 5.50  |      |      |      |      |      |      |      |      |      |
| 5.25  |      |      |      |      |      |      |      |      |      |
| 5.00  |      |      |      |      |      |      |      |      |      |
| 4.75  |      |      |      |      |      |      |      |      |      |
| 4.50  |      |      |      |      |      |      |      |      |      |
| 4.25  |      |      |      |      |      |      |      |      |      |
| 4.00  |      |      |      |      |      |      |      |      |      |
| 3.75  |      |      |      |      |      |      |      |      |      |
| 3.50  |      |      |      |      |      |      |      |      |      |
| 3.25  |      |      |      |      |      |      |      |      |      |
| 3.00  |      |      |      |      |      |      |      |      |      |
| 2.75  |      |      |      |      |      |      |      |      |      |
| 2.50  |      |      |      |      |      |      |      |      |      |
| 2.25  |      |      |      |      |      |      |      |      |      |
| 2.00  |      |      |      |      |      |      |      |      |      |
| 1.75  |      |      |      |      |      |      |      |      |      |
| 1.50  |      |      |      |      |      |      |      |      |      |
| 1.25  |      |      |      |      |      |      |      |      |      |
| 1.00  |      |      |      |      |      |      |      |      |      |
| 0.75  |      |      |      |      |      |      |      |      |      |
| 0.50  |      |      |      |      |      |      |      |      |      |
| 0.25  |      |      |      |      |      |      |      |      |      |
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |

70 DIAMETER

| + cyl  | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|--------|------|------|------|------|------|------|------|------|------|
| -6.25  |      |      |      |      |      |      |      |      |      |
| -6.50  |      |      |      |      |      |      |      |      |      |
| -6.75  |      |      |      |      |      |      |      |      |      |
| -7.00  |      |      |      |      |      |      |      |      |      |
| -7.25  |      |      |      |      |      |      |      |      |      |
| -7.50  |      |      |      |      |      |      |      |      |      |
| -7.75  |      |      |      |      |      |      |      |      |      |
| -8.00  |      |      |      |      |      |      |      |      |      |
| -8.25  |      |      |      |      |      |      |      |      |      |
| -8.50  |      |      |      |      |      |      |      |      |      |
| -8.75  |      |      |      |      |      |      |      |      |      |
| -9.00  |      |      |      |      |      |      |      |      |      |
| -9.25  |      |      |      |      |      |      |      |      |      |
| -9.50  |      |      |      |      |      |      |      |      |      |
| -9.75  |      |      |      |      |      |      |      |      |      |
| -10.00 |      |      |      |      |      |      |      |      |      |

75 DIAMETER

| + cyl | 0.00 | 0.25 | 0.50 | 0.75 | 1.00 | 1.25 | 1.50 | 1.75 | 2.00 |
|-------|------|------|------|------|------|------|------|------|------|
| 0.00  |      |      |      |      |      |      |      |      |      |
| -0.25 |      |      |      |      |      |      |      |      |      |
| -0.50 |      |      |      |      |      |      |      |      |      |
| -0.75 |      |      |      |      |      |      |      |      |      |
| -1.00 |      |      |      |      |      |      |      |      |      |
| -1.25 |      |      |      |      |      |      |      |      |      |
| -1.50 |      |      |      |      |      |      |      |      |      |
| -1.75 |      |      |      |      |      |      |      |      |      |
| -2.00 |      |      |      |      |      |      |      |      |      |
| -2.25 |      |      |      |      |      |      |      |      |      |
| -2.50 |      |      |      |      |      |      |      |      |      |
| -2.75 |      |      |      |      |      |      |      |      |      |
| -3.00 |      |      |      |      |      |      |      |      |      |
| -3.25 |      |      |      |      |      |      |      |      |      |
| -3.50 |      |      |      |      |      |      |      |      |      |
| -3.75 |      |      |      |      |      |      |      |      |      |
| -4.00 |      |      |      |      |      |      |      |      |      |
| -4.25 |      |      |      |      |      |      |      |      |      |
| -4.50 |      |      |      |      |      |      |      |      |      |
| -4.75 |      |      |      |      |      |      |      |      |      |
| -5.00 |      |      |      |      |      |      |      |      |      |
| -5.25 |      |      |      |      |      |      |      |      |      |
| -5.50 |      |      |      |      |      |      |      |      |      |
| -5.75 |      |      |      |      |      |      |      |      |      |
| -6.00 |      |      |      |      |      |      |      |      |      |

## COLOURS AVAILABLE



BROWN



GREY



GREEN

## CATEGORY 3 SUN LENS

(NOT SUITABLE  
FOR NIGHT TIME DRIVING)

UVA PROTECTION

Please use the Stock Check facility within  
HOYA iLOG for stock availability





The image features a solid red background with several white concentric circles of varying radii. Some of these circles are incomplete, appearing as arcs or segments. The word "PENTAX" is centered in a bold, white, sans-serif font.

# PENTAX

© 2022 PENTAX  
All Rights Reserved.